

Sortni poskus/Variety trial**Jablje**

Prejšnji posevek: ozimna pšenica

Datum setve: 03.09.2010

Setvena količina: 20 kg/ha, medvrstna razdalja 15 cm

Zasnova poskusa: naključni blok v 4 ponovitvah, osnovna parcela 6 m²Gnojenje v tretjem letu rabe: 164 kg/ha N, 110 kg/ha P₂O₅, 110 kg/ha K₂O

Število košenj: 3 (14.05., 28.06., 17.10.)

Navadna pasja trava/Cocksfoot**Dactylis glomerata**

Previous crop: winter wheat

Date of sowing: 03.09.2010

Seed rate: 20 kg/ha, interrow spacing 15 cm

Trial layout: randomized block design in 4 repetitions, plot size 6 m²Fertilization in third year: 164 kg/ha N, 110 kg/ha P₂O₅, 110 kg/ha K₂O

Number of cuttings: 3 (14.05., 28.06., 17.10.)

SORTA VARIETY	Izvor Origin	Prezimitev Winter hardiness	Začetek latenja Heading date	Višina rastlin 1 košnje Plant height 1st cut	Regeneracija - po 1K Regrowth after cutting	SB/CP		NEL/NEL		2013		2011 - 2013	
						Vsebnost Contents	Pridelek Yield	Vsebnost Contents	Pridelek Yield	Pridelek zelinja Herbage yield	Rodnostna skupina Yield category	Povprečni pridelek zelinja Average herbage yield	Povprečna relativna vrednost pridelka zelinja Average relative herbage yield
		1-9 1=zelo dobra very good	datum date	cm	1-9 1=zelo dobra very good	g/kg SS g/kg DM	kg/ha	MJ/kg SS MJ/kg DM	000 MJ/ha	t/ha (SS) t/ha (DM)		t/ha (SS) t/ha (DM)	%
DGŽ J01/03 30	SLO 1	1,0	05.05.	83	1,5	121	1128	5,91	55,1	9,32	I	10,58	107
Kopa	SLO 1	1,5	07.05.	80	2,0	118	992	5,99	50,4	8,42	II/2	9,77	99
Trerano	D 34	1,0	06.05.	78	2,0	124	1030	5,90	48,9	8,29	II/2	9,97	101
Treposno	D 8	1,0	09.05.	71	2,0	119	979	5,99	49,2	8,22	II/2	9,71	98
Lyra	D 8	1,5	13.05.	60	2,0	125	975	6,06	47,4	7,83	III	9,50	96
Povprečje/Mean										8,42		9,90	100
LSD (0,05)										0,46			