

ZGODNJE SORTE/EARLY VARIETIES

SORTA VARIETY	Zvijanje listov Leafroll %	Teški mozaik Severe mosaic %	Blagi mozaik Light mosaic %	Bela noga Rhizoscionia canker %	Črna noga Black leg %	Prazna mesta Empty places %	Vznik Emergence datum/date	Začetek cvetenja Start of flowering datum/date	Polno cvetenje Full flowering datum/date	Konec cvetenja End of flowering datum/date	Pričetek dozorevanja krompirjevke Start of plant maturation datum/date	Krompirjevka popolnoma suha Plants are completely dry datum/date	Opombe Remarks
Evora	0.0	0.0	0.0	0.0	0.0	0.0	16.5.	17.6.	22.6.	29.6.	25.7.	12.8.	
KIS Savinja	0.3	0.0	0.0	0.0	0.0	0.0	18.5.	17.6.	24.6.	29.6.	25.7.	12.8.	
Gala	0.0	0.0	0.0	0.0	0.0	0.0	13.5.	13.6.	17.6.	24.6.	20.7.	5.8.	
Arinda	0.0	0.0	0.0	0.0	0.0	0.0	16.5.	13.6.	17.6.	11.7.	29.7.	15.8.	
Everest	0.0	0.0	0.0	0.0	0.0	0.0	16.5.	10.6.	13.6.	11.7.	25.7.	15.8.	
Marabel	0.0	0.6	0.3	0.0	0.0	0.8	15.5.	17.6.	19.6.	24.6.	19.7.	10.8.	
Carrera	0.0	0.0	0.0	0.0	0.0	0.3	21.5.	15.6.	17.6.	26.6.	20.7.	5.8.	
Exellency	0.0	0.0	0.0	0.0	0.0	0.0	13.5.	17.6.	22.6.	29.6.	12.8.	20.8.	
Actrice	0.0	1.1	0.0	0.0	0.0	0.3	20.5.	P	P	P	19.6.	5.8.	
KIS Slavnik	0.0	0.3	0.0	0.0	0.0	0.3	13.5.	10.6.	14.6.	20.6.	25.7.	12.8.	
Cardinia	0.0	0.0	0.0	0.0	0.0	0.0	18.5.	15.6.	20.6.	29.6.	20.7.	5.8.	
Labadia	0.0	0.0	0.0	0.6	0.0	0.0	18.5.	17.6.	22.6.	11.7.	12.8.	20.8.	
Maris Bard	0.0	0.0	0.0	0.6	0.0	0.3	13.5.	10.6.	15.6.	22.6.	19.7.	10.8.	
Montreal	0.0	0.0	0.0	0.0	0.3	0.3	16.5.	15.6.	22.6.	29.6.	19.7.	5.8.	
Primadonna	0.0	0.0	0.0	0.0	0.0	0.0	22.5.	20.6.	24.6.	29.6.	19.7.	5.8.	
KIS Vipava	0.0	0.0	0.0	0.0	0.0	0.3	13.5.	13.6.	17.6.	22.6.	19.7.	5.8.	
Cupido	0.0	0.0	0.0	0.0	0.0	0.3	22.5.	17.6.	22.6.	1.7.	25.7.	12.8.	
Riviera	0.0	0.0	0.0	0.0	0.0	0.6	18.5.	P	P	P	19.7.	1.8.	
Minerva	0.0	0.0	0.0	0.0	0.0	0.0	18.5.	15.6.	20.6.	22.6.	19.7.	5.8.	
Catania	0.0	0.0	0.0	0.3	0.0	6.9	20.5.	20.6.	24.6.	29.6.	20.7.	5.8.	
Adora	0.0	0.8	0.0	0.0	0.0	0.3	18.5.	13.6.	20.6.	22.6.	19.7.	5.8.	

P posamezni cvetovi/P some flowers

SREDNJE ZGODNJE SORTE / MEDIUM-EARLY VARIETIES

SORTA VARIETY	Pridelek gomoljev Yield of tubers t/ha	Rodnostna skupina Yield category	TEŽA GOMOLJEV WEIGHT OF TUBERS				ŠTEVILO GOMOLJEV NUMBER OF TUBERS				Povprečno število gomoljev na rastlino Average number of tubers per plant	Povprečna teža gomoljev Average weight of tubers g	Suha snov Dry matter %	Pridelek suhe snovi Yield of dry matter t/ha	Koefficient variabilnosti sorte Coefficient of variation of variety %
			> 65 mm kvadratne mreže > 65 mm of square mesh %	45 - 65 mm kvadratne mreže 45 - 65 mm of square mesh %	25 - 45 mm kvadratne mreže 25 - 45 mm of square mesh %	< 25 mm kvadratne mreže < 25 mm of square mesh %	> 65 mm kvadratne mreže > 65 mm of square mesh %	45 - 65 mm kvadratne mreže 45 - 65 mm of square mesh %	25 - 45 mm kvadratne mreže 25 - 45 mm of square mesh %	< 25 mm kvadratne mreže < 25 mm of square mesh %					
Volare	97.26	I	67.8	27.2	5.0	0.1	38.9	34.2	24.4	2.6	14.2	165	18.1	17.57	7.5
Electra	80.54	I	41.0	49.3	9.0	0.7	24.1	34.7	31.4	9.8	16.0	137	19.7	15.87	7.0
Sylvana	79.60	I	58.5	34.7	6.6	0.2	28.5	39.4	28.1	3.9	14.2	141	20.2	16.11	13.1
Cerata	78.81	I	37.5	53.8	8.5	0.2	17.1	53.1	26.8	3.1	17.0	113	21.0	16.55	7.6
La Strada	78.41	I	64.5	32.0	3.5	0.1	38.6	42.9	17.3	1.2	11.3	180	20.1	15.76	8.4
KIS Krka	76.26	II/1	50.6	43.5	5.8	0.1	25.5	48.2	24.6	1.6	16.1	140	20.1	15.33	8.8
Sante	74.39	II/1	38.6	53.9	7.4	0.1	19.9	53.6	24.5	2.0	15.9	115	23.8	17.70	3.4
Manhattan	73.60	II/2	39.8	52.4	7.6	0.2	20.1	53.1	24.3	2.6	16.4	116	20.5	15.06	3.4
Alouette	73.53	II/2	36.5	55.2	7.9	0.3	16.8	53.1	24.3	5.8	15.5	129	20.9	15.39	4.4
Esmee	72.50	II/2	31.0	61.4	7.4	0.2	14.6	59.2	23.4	2.8	13.5	138	17.5	12.71	6.7
Arizona	71.29	II/2	39.8	49.1	10.7	0.5	17.6	45.1	31.0	6.3	15.4	123	17.6	12.55	5.6
Carlingford	70.82	II/2	21.2	62.0	16.4	0.4	8.4	51.6	36.5	3.6	19.0	90	20.9	14.78	8.6
Fandago	70.76	II/2	52.3	39.1	8.4	0.2	23.9	43.0	29.5	3.7	15.2	119	19.8	13.99	6.4
Torino	70.25	II/2	20.4	61.7	17.4	0.4	7.4	50.5	38.1	4.0	22.0	83	19.7	13.84	2.5
Carolus	70.18	II/2	33.6	50.5	15.4	0.5	13.1	41.1	39.3	6.5	18.1	96	21.4	15.00	12.7
KIS Kokra	67.37	II/3	62.4	33.5	4.0	0.1	35.1	43.4	19.6	1.9	11.5	162	21.2	14.28	7.2
Bikini	67.05	II/3	36.3	54.1	9.4	0.1	16.8	52.3	29.6	1.4	16.4	107	22.0	14.77	2.4
Rock	65.65	III	11.5	68.3	19.7	0.5	4.5	47.7	41.6	6.2	18.9	91	22.0	14.46	3.0
Soprano	64.63	III	16.6	58.0	24.9	0.5	6.8	39.5	49.0	4.8	16.9	89	19.4	12.52	2.8
Adato	62.22	III	20.6	66.1	12.9	0.5	7.9	53.0	32.8	6.3	15.9	103	21.4	13.32	3.9
Desiree	62.03	III	41.4	49.0	9.5	0.2	18.3	48.3	30.2	3.1	11.5	131	21.7	13.44	5.3
Romano	60.95	III	44.4	48.1	7.3	0.2	21.5	47.7	27.7	3.1	14.4	122	21.0	12.82	2.7
Gourmandine	57.02	III	20.3	60.0	19.3	0.4	8.0	45.0	43.0	4.0	16.1	100	19.0	10.83	4.8
Povprečje/Mean	71.53											20.5		14.36	
LSD (0,05)	4.74														

SREDNJE ZGODNJE SORTE / MEDIUM-EARLY VARIETIES

SORTA VARIETY	Zvijanje listov Leafroll %	Teški mozaik Severe mosaic %	Blagi mozaik Light mosaic %	Bela noga Rhizoctonia canker %	Črna noga Black leg %	Prazna mesta Empty places %	Vznik Emergence datum/date	Začetek cvetenja Start of flowering datum/date	Polno cvetenje Full flowering datum/date	Konec cvetenja End of flowering datum/date	Pričetek dozorevanja krompirjevke Start of plant maturation datum/date	Krompirjevka popolnoma suha Plants are completely dry datum/date	Opombe Remarks
Volare	0.0	0.0	0.0	0.0	0.0	0.0	13.5.	15.6.	22.6.	29.6.	12.8.	25.8.	
Electra	0.3	0.3	0.0	0.0	0.0	0.8	23.5.	22.6.	29.6.	11.7.	20.8.	31.8.	
Sylvana	0.0	0.0	0.0	0.0	0.0	0.0	21.5.	17.6.	24.6.	20.7.	12.8.	25.8.	
Cerata	0.0	0.0	0.0	0.0	0.0	0.0	20.5.	20.6.	22.6.	11.7.	20.8.	31.8.	
La Strada	0.0	0.0	0.0	0.0	0.0	0.0	20.5.	17.6.	29.6.	11.7.	12.8.	25.8.	
KIS Krka	0.0	0.0	0.8	0.0	0.0	0.6	21.5.	20.6.	29.6.	7.7.	15.8.	25.8.	
Sante	0.0	0.0	0.0	0.0	0.3	0.0	16.5.	P	P	P	12.8.	25.8.	
Manhattan	0.0	0.0	0.0	0.0	0.0	0.0	20.5.	20.6.	24.6.	29.6.	5.8.	15.8.	
Alouette	0.0	0.0	0.0	0.0	0.0	0.0	16.5.	13.6.	17.6.	1.7.	12.8.	25.8.	
Esmee	0.0	0.0	0.0	0.0	0.0	0.0	22.5.	20.6.	22.6.	29.6.	12.8.	25.8.	
Arizona	0.0	0.0	0.0	0.0	0.0	0.8	22.5.	22.6.	24.6.	1.7.	15.8.	25.8.	
Carlingford	0.0	0.0	0.0	0.0	0.3	4.7	21.5.	17.6.	24.6.	20.7.	20.8.	31.8.	
Fandago	0.0	0.0	0.0	0.0	0.0	0.0	20.5.	19.6.	26.6.	19.7.	20.8.	31.8.	
Torino	0.0	0.0	0.0	0.0	0.0	0.0	22.5.	24.6.	26.6.	19.7.	20.8.	31.8.	
Carolus	0.0	0.0	0.0	0.0	0.0	0.0	18.5.	20.6.	24.6.	11.7.	20.8.	31.8.	
KIS Kokra	0.0	0.0	0.0	0.0	0.0	0.0	16.5.	17.6.	24.6.	17.7.	15.8.	25.8.	
Bikini	0.0	0.0	0.0	0.0	0.0	0.0	20.5.	20.6.	24.6.	7.7.	20.8.	31.8.	
Rock	0.0	0.0	0.0	0.0	0.0	0.0	18.5.	17.6.	24.6.	15.7.	15.8.	25.8.	
Soprano	0.0	0.0	0.0	0.0	0.0	0.3	20.5.	19.6.	23.6.	29.6.	12.8.	25.8.	
Adato	0.0	0.0	0.0	0.0	0.0	0.0	18.5.	17.6.	24.6.	11.7.	5.8.	15.8.	
Desiree	0.0	0.3	0.0	0.0	0.0	0.3	16.5.	15.6.	24.6.	20.7.	20.8.	31.8.	
Romano	0.0	0.0	0.0	0.0	0.0	0.3	22.5.	P	P	P	5.8.	15.8.	
Gourmandine	0.0	0.0	0.0	0.0	0.0	4.7	25.5.	24.6.	26.6.	11.7.	20.8.	31.8.	

 P posamezni cvetovi/*P some flowers*

POZNE SORTE/LATE VARIETIES

SORTA VARIETY	Zvijanje listov Leafroll %	Teški mozaik Severe mosaic %	Blagi mozaik Light mosaic %	Bela noga Rhizoctonia canker %	Črna noga Black leg %	Prazna mesta Empty places %	Vznik Emergence datum/date	Začetek cvetenja Start of flowering datum/date	Polno cvetenje Full flowering datum/date	Konec cvetenja End of flowering datum/date	Pričetek dozorevanja krompirjevke Start of plant maturation datum/date	Krompirjevka popolnoma suha Plants are completely dry datum/date	Opombe Remarks
Lusa	0.0	0.0	0.0	0.0	0.0	0.8	18.5.	13.6.	20.6.	25.7.	25.8.	10.9.	
Jelly	0.0	4.4	0.0	0.6	0.0	0.0	21.5.	24.6.	29.6.	11.7.	25.8.	10.9.	
KIS Mura	0.0	0.0	0.0	0.0	0.0	0.3	21.5.	17.6.	24.6.	22.7.	12.8.	25.8.	
Mondeo	0.0	0.0	0.0	0.0	0.0	0.3	18.5.	20.6.	26.6.	19.7.	25.8.	10.9.	
Bistra	0.0	0.0	0.0	0.6	0.0	0.0	16.5.	20.6.	29.6.	19.7.	25.8.	15.9.	
KIS Sora	0.0	0.0	0.0	0.0	0.0	0.3	21.5.	20.6.	26.6.	22.7.	25.8.	10.9.	
Agria	0.0	0.0	0.0	0.0	0.6	0.0	18.5.	17.6.	22.6.	22.7.	20.8.	5.9.	
Kennebec	0.3	0.0	0.0	0.0	7.5	0.3	16.5.	22.6.	26.6.	11.7.	12.8.	25.8.	

P posamezni cvetovi/P some flowers