

VSEBNOST BELJAKOVIN IN ASKORBINSKE KISLINE KROMPIRJEVIH SORT
PROTEIN AND ASCORBIC ACID CONTENT OF POTATO VARIETIES

SORTA <i>VARIETY</i>	Suha snov <i>Dry matter</i> g/kg	Vlaga <i>Humidity</i> g/kg	Beljakovine v svežem vzorcu <i>Proteins in fresh sample</i> g/kg	Askorbinska kislina v svežem vzorcu <i>Ascorbic acid in fresh sample</i> mg/100g	Beljakovine v posušenem vzorcu <i>Proteins in dried sample</i> g/kg	Askorbinska kislina v posušenem vzorcu <i>Ascorbic acid in dried sample</i> mg/100g
Actrice	151	849	15.5	15.2	102.6	100.7
Adato	198	802	16.7	16.8	84.3	84.8
Adora	178	822	15.3	14.1	86.0	79.2
Bikini	201	799	17.2	13.8	85.6	68.7
Cardinia	182	818	15.0	24.9	82.4	136.8
Carolus	192	808	18.8	15.5	97.9	80.7
Cerata	183	817	16.4	15.4	89.6	84.2
Cupido	210	790	16.4	18.2	78.1	86.7
Desiree	211	789	16.6	16.0	78.7	75.8
Electra	171	829	13.4	14.7	78.4	86.0
Everest	176	824	15.9	25.0	90.3	142.0
Fandago	190	810	14.6	17.3	76.8	91.1
KIS Sora	191	809	17.2	22.6	90.1	118.3
La Strada	201	799	13.9	19.5	69.2	97.0
Manhattan	170	830	14.3	21.1	84.1	124.1
Marabel	172	828	15.1	18.9	87.8	109.9
Mondeo	205	795	13.6	16.6	66.3	81.0
Montreal	201	799	16.5	13.4	82.1	66.7
Rock	206	794	17.1	19.7	83.0	95.6
Sante	222	778	17.8	15.4	80.2	69.4
Torino	192	808	13.8	16.5	71.9	85.9