

## Sortni poskus/ Variety trial

## Jablje

Leto/year 2017

Prejšnji posevek: ozimna pšenica

Gnojenje: 95 kg/ha N, 100 kg/ha P<sub>2</sub>O<sub>5</sub>, 150 kg/ha K<sub>2</sub>O

Škropljenje: Centium 0,25 l/ha, Dual gold 1,5 l/ha, Successor 2l/ha

Gostota setve: medvrstna razdalja 140 cm, 1 kalivo seme/m<sup>2</sup>

Setev: 19.05.2017, spravilo: 13-15.09.2017

Zasnova poskusa: naključni blok v 4 ponovitvah, osnovna parcela 28 m<sup>2</sup>

## Oljna buča - golica/ Oil pumpkin - hulles type

## Cucurbita pepo

Previous crop: winter wheat

Fertilization: 95 kg/ha N, 100 kg/ha P<sub>2</sub>O<sub>5</sub>, 150 kg/ha K<sub>2</sub>O

Spraying: Centium 0,25 l/ha, Dual gold 1,5 l/ha, Successor 2l/ha

Sowing density: interrow spacing 140 cm, 1 germinant seeds/m<sup>2</sup>

Sowing: 19.05.2017, harvesting: 13-15.09.2017

Trial layout: randomized block design in 4 repetitions, plot size 28 m<sup>2</sup>

SORTA VARIETY	Izvor Origin	Dobavitelj semena Seed supplier	Odpornost proti boleznim Resistance to disease	plodovi/ fruits				Absolutna masa zrnja Thousand seed weight	SM/CF		SB/CP		2017	
				nedozorele/immature	odpad/waste	uporabne/useful	skupaj/total		Vsebnost Contents	Pridelek Yield	Vsebnost Contents	Pridelek Yield	Zrnje s 9% vlage Grain with 9% moisture	Rodnostna skupina Yield category
			1-9 1=zelo dobra very good	%	%	%	število/ha number/ha	g	g/kg SS g/kg DM	kg/ha kg/ha	g/kg SS g/kg DM	kg/ha kg/ha	t/ha	
Olinka	SRB 3	SLO 7	3,5	7	9	84	18.036	204	445	497	352	393	1,23	II/2
Gleisdorfer ölkurbis	A 2	SLO 2	4,5	6	8	86	18.750	203	423	437	363	375	1,13	II/2
Slovenska golica	SLO 3	SLO 3	4,5	6	8	86	17.946	194	427	431	367	370	1,11	II/2
Povprečje/ Mean													1,16	
LSD (0,05)													0,15	