

Sortni poskus/Variety trial
Jablje - pomlad/spring

Prejšnji posevek: inkarnatka

Gnojenje: 81 kg/ha N, 240 kg/ha K₂O; dognojevanje: 54 kg/ha N

Pridelovanje na prostem

Gostota sajenja: 70 cm x 40 cm; 35.700 rastlin/ha

Setev: 10.03.2005, presajanje: 29.04.2005, pobiranje: 16.06. - 26.07.2005

Zasnova poskusa: naključni blok v 3 ponovitvah, osnovna parcela 5,6 m²

Brokoli/Broccoli

Previous crop: incarnate

Fertilization: 81 kg/ha N, 240 kg/ha K₂O; side dressing: 54 kg/ha N

Growing in the open field

Planting density: 70 cm x 40 cm; 35,700 plants/ha

Sowing: 10.03.2005, transplanting: 29.04.2005, harvesting: 16.06. - 26.07.2005

Trial layout: randomized block design in 3 repetitions, plot size 5.6 m²

S O R T A V A R I E T Y	Izvor/Origin	Dobavitelj/Supplier	Zgodnost/Earliness 3=zgodna/early 7=pozna/late	Dozorevanje/Maturing 3=izenačeno/uniform 7=neizenačeno/uniform	RASTLINA/PLANT			ROŽA/CURD										PRIDELEK/YIELD											
					Višina/Height cm	Širina/Width cm	Prekrivanje rože /Curd covering 3=prekrita/covered 7=neprekrita/not covered	Višina/Height cm	Širina/Width cm	Masa/Weight g	Barva/Colour	Sklenjenost/Firmness 3=dobra/good 7=slaba/bad	Zrnatost/Texture 3=fina/fine 7=groba/coarse	Oblika/Shape	Razred/Class				Pobiranje/Harvest						Tržni/Marketable t/ha	Skupni/Total t/ha	Rodnostna skupina /Yield category		
															Ekstra/Extra	I.	II.	Odpad/Waste	1.+2.	3.+4.	5.+6.	7.+8.	9.+10.						
Chevalier F1	NL0/3	SLO1	7	2	43	77	9	14	12	287	Z (3)	5	2	visoko polkrožna/high circular	0	86	14	0	0	0	32	53	16	8,82	8,84	II/1			
3051 F1	J1	SLO11	5	4	40	79	9	14	15	383	Z (3)	5	3	polkrožna/circular	0	92	8	0	0	41	36	19	4	8,35	8,38	II/1			
Montop F1	NL3	SLO13	4	5	40	77	9	13	12	267	Z (5)	5	3	polkrožna/circular	0	91	9	0	0	43	33	21	4	7,58	7,58	II/2			
Belstar F1	NL1	SLO12	9	-	43	70	9	13	12	319	Z (3)	1	2	visoko polkrožna/high circular	0	91	8	1	0	1	10	47	42	7,58	7,65	II/2			
Shogun F1	NL3	SLO13	8	4	54	82	9	17	13	296	Z (5)	7	4	polkrožna/circular	0	82	13	5	0	0	12	74	14	7,54	7,95	II/2			
Ironman F1	NL0/1	SLO1	7	-	44	69	9	15	13	335	Z (3)	3	3	polkrožna/circular	6	87	6	1	1	12	14	41	33	7,32	7,36	II/2			
Lucky F1	NL1	SLO12	5-6	3	45	76	9	14	13	315	Z (5)	3	2	visoko polkrožna/high circular	4	87	8	0	0	29	42	24	5	7,23	7,23	II/2			
Liberty F1	NL0/4	SLO1	5	4	45	88	9	13	13	306	Z (7)	3	3	polkrožna/circular	0	72	21	7	0	14	43	22	21	7,01	7,52	II/2			
Lord F1	NL0/3	SLO1	9	-	50	79	9	14	12	287	Z (3)	6	3	polkrožna/circular	0	80	18	2	0	0	0	34	66	6,81	6,96	II/2			
Herta F1	J1	SLO11	6	-	46	77	9	14	12	267	Z (3)	3	3	polkrožna/circular	0	88	11	1	0	9	43	27	21	6,68	6,76	II/2			
Kermit F1	NL1	SLO12	3	2	41	72	9	13	14	270	Z (7)	3	5	sploščeno polkrožna/transverse broad elliptic	0	84	12	4	4	68	13	11	4	6,57	6,83	II/2			
Captain F1	NL0/1	SLO1	1	5	43	65	-	13	15	214	Z (7)	4	7	močno sploščena/transverse narrow elliptic	0	90	9	1	38	47	8	7	0	6,40	6,46	II/2			
General F1	NL0/4	SLO1	2	7	33	54	9	12	12	179	Z (5)	4	5	sploščeno polkrožna/transverse broad elliptic	0	88	11	1	16	53	23	9	0	5,04	5,09	II/3			
Regilio F1	NL2	SLO11	4	7	37	62	9	12	12	193	Z (5)	4	2	polkrožna/circular	0	74	25	1	0	50	32	15	3	3,31	3,35	III			
Povprečje/Mean													6,88												7,00				
LSD (0,05)													1,97												1,83				

Sortni poskus/Variety trial

Križe - pomlad/spring

Prejšnji posevek: radič

Gnojenje: 20 t/ha hlevski gnoj, 60 kg/ha N, 60 kg/ha P₂O₅, 300 kg/ha K₂O

dognojevanje: 84 kg/ha N, 30 kg/ha P₂O₅, 30 kg/ha K₂O

Pridelovanje na prostem

Gostota sajenja: 50 cm x 50 cm; 40.000 rastlin/ha

Setev: 10.03.2005, presajanje: 23.04.2005, pobiranje: 17.06. - 15.07.2005

Zasnova poskusa: naključni blok v 3 ponovitvah, osnovna parcela 5,25 m²

Brokoli/Broccoli

Previous crop: chicory

Fertilization: 20 t/ha stable manure, 60 kg/ha N, 60 kg/ha P₂O₅, 300 kg/ha K₂O

side dressing: 84 kg/ha N, 30 kg/ha P₂O₅, 30 kg/ha K₂O

Growing in the open field

Planting density: 50 cm x 50 cm; 40,000 plants/ha

Sowing: 10.03.2005, transplanting: 23.04.2005, harvesting: 17.06. - 15.07.2005

Trial layout: randomized block design in 3 repetitions, plot size 5.25 m²

SORTA VARIETY	Izvor/Origin	Dobavitelj/Supplier	Zgodnost/Earliness 3=zgodna/early 7=pozna/late	Dozorevanje/Maturing 3=izenačeno/uniform 7=neizenačeno/uniform	RASTLINA/PLANT			ROŽA/CURD							PRIDELEK/YIELD											
					Višina/Height cm	Širina/Width cm	Prekrivanje rože /Curd covering 3=prekrita/covered 7=neprekrita/not covered	Višina/Height cm	Širina/Width cm	Masa/Weight g	Barva/Colour	Sklenjenost/Firmness 3=dobra/good 7=slaba/bad	Zrnatost/Texture 3=fina/fine 7=groba/coarse	Oblika/Shape	Razred/Class				Pobiranje/Harvest					Tržni/Marketable t/ha	Skupni/Total t/ha	Rodnostna skupina /Yield category
															I.	II.	Odpad/Waste	1.	2.	3.	4.	5.				
Shogun F1	NL3	SLO13	7	3	42	75	9	20	18	462	Z (7)	5	3	polkrožna/circular	0	93	7	0	0	0	0	64	36	15,09	15,09	I
Lord F1	NL0/3	SLO1	6	6	33	66	9	16	15	378	Z (7)	2	2	polkrožna/circular	0	98	2	0	0	0	8	38	55	13,78	13,78	I
Chevalier F1	NL0/3	SLO1	5	-	36	70	9	15	13	327	Z (7)	2	2	polkrožna/circular	0	99	1	0	0	0	21	41	37	13,58	13,58	I
Belstar F1	NL1	SLO12	9	7	32	60	9	15	14	425	Z (7)	2	3	visoko polkrožna/high circular	0	96	4	0	0	0	0	35	65	12,91	12,91	I
Ironman F1	NL0/1	SLO1	5	3	37	53	9	14	13	245	Z (3)	1	1	polkrožna/circular	1	94	5	0	0	1	21	60	18	11,13	11,13	II/1
Herta F1	J1	SLO11	4-5	1	44	66	9	17	16	350	Z (7)	4	4	sploščeno polkrožna/transverse broad elliptic	0	68	32	0	0	0	42	30	28	9,71	9,71	II/2
Liberty F1	NL0/4	SLO1	4-5	3	42	72	9	14	15	314	Z (7)	2	3	polkrožna/circular	3	85	13	0	0	0	31	64	5	9,66	9,66	II/2
Montop F1	NL3	SLO13	4	4	36	68	9	14	14	320	Z (3)	2	3	polkrožna/circular	78	4	17	1	0	17	61	13	10	8,46	8,54	II/2
Lucky F1	NL1	SLO12	5	-	33	63	9	14	14	236	Z (5)	3	2	polkrožna/circular	0	87	10	3	0	3	33	61	3	8,23	8,45	II/2
3051 F1	J1	SLO11	3	2	30	52	9	11	12	196	Z (5)	2	5	polkrožna/circular	0	94	6	1	0	28	59	1	12	7,70	7,76	II/3
Kermit F1	NL1	SLO12	3-4	5	34	54	9	14	14	240	Z (5)	2	7	sploščeno polkrožna/transverse broad elliptic	0	93	7	0	0	12	48	40	0	6,98	6,98	III
General F1	NL0/4	SLO1	2-3	1-2	31	48	9	14	14	204	Z (7)	5	7	sploščena/transverse elliptic	4	75	17	4	4	74	9	3	10	5,14	5,37	III
Regilio F1	NL2	SLO11	3-4	-	31	55	9	13	12	171	Z (5)	2	3	polkrožna/circular	6	52	31	12	0	37	38	12	14	3,68	4,17	III
Captain F1	NL0/1	SLO1	1	4	33	50	9	14	14	158	Z (7)	6	7	sploščena/transverse elliptic	0	69	31	0	0	0	33	23	44	2,03	2,03	III
Povprečje/Mean															9,15										9,23	
LSD (0,05)															2,15										2,10	

Sortni poskus/Variety trial
Nova Gorica - pomlad/spring

Brokoli/Broccoli

Gnojenje: 108 kg/ha N

Pridelovanje na prostem

Gostota sajenja: 70 cm x 40 cm; 35.700 rastlin/ha

Setev: 10.03.2005, presajanje: 15.04.2005, pobiranje: 17.06. - 18.07.2005

Zasnova poskusa: naključni blok v 3 ponovitvah, osnovna parcela 5,6 m²

Fertilization: 108 kg/ha N

Growing in the open field

Planting density: 70 cm x 40 cm; 35,700 plants/ha

Sowing: 10.03.2005, transplanting: 15.04.2005, harvesting: 17.06. - 18.07.2005

Trial layout: randomized block design in 3 repetitions, plot size 5.6 m²

S O R T A V A R I E T Y	Izvor/Origin	Dobavitelj/Supplier	Zgodnost/Earliness 3=zgodna/early 7=pozna/late	RASTLINA/PLANT			ROŽA/CURD							PRIDELEK/YIELD											
				Višina/Height cm	Širina/Width cm	Prekrivanje rože /Curd covering 3=prekrita/covered 7=neprekrita/not covered	Višina/Height cm	Širina/Width cm	Masa/Weight g	Barva/Colour	Sklenjenost/Firmness 3=dobra/good 7=slaba/bad	Zrnatost/Texture 3=fina/fine 7=groba/coarse	Oblika/Shape	Razred/Class				Pobiranje/Harvest					Tržni/Marketable t/ha	Skupni/Total t/ha	Rodnostna skupina /Yield category
														%				%							
														Ekstra/Extra	I.	II.	Odpad/Waste	1.	2.	3.	4.	5.			
Montop F1	NL3	SLO13	4	36	65	9	13	13	291	Z (3)	3	4	sploščeno polkrožna/transverse broad elliptic	0	83	17	0	1	7	2	25	64	12,12	12,12	I
Belstar F1	NL1	SLO12	-	46	77	9	14	14	366	Z (5)	3	3	polkrožna/circular	0	61	39	0	0	0	3	13	84	11,55	11,55	I
Chevalier F1	NL0/3	SLO1	-	47	79	-	15	15	434	Z (5)	5	3	sploščena/transverse elliptic	0	50	31	18	0	0	0	14	86	11,38	13,95	I
3051 F1	J1	SLO11	-	41	73	9	15	15	371	Z (3)	7	6	sploščeno polkrožna/transverse broad elliptic	0	48	52	0	0	0	0	29	71	9,10	9,10	II/2
Lucky F1	NL1	SLO12	4-5	44	72	9	14	13	336	Z (5)	2	4	sploščena/transverse	7	89	4	0	0	7	3	34	56	8,54	8,54	II/2
Kermi F1	NL1	SLO12	5	39	64	9	13	13	260	Z (7)	2	5	sploščeno polkrožna/transverse broad elliptic	0	74	25	1	0	11	12	41	36	8,44	8,50	II/2
Shogun F1	NL3	SLO13	-	59	91	9	19	17	400	Z (5)	7	5	sploščeno polkrožna/transverse broad elliptic	0	73	27	0	0	0	0	15	85	7,98	7,98	II/2
Herta F1	J1	SLO11	4	44	75	9	13	12	266	Z (7)	2	3	sploščeno polkrožna/transverse broad elliptic	0	91	9	0	1	13	13	36	36	7,12	7,12	II/2
General F1	NL0/4	SLO1	3	35	52	9	14	14	227	Z (5)	5	5	sploščeno polkrožna/transverse broad elliptic	0	70	30	0	0	45	14	18	24	5,67	5,67	II/3
Regilio F1	NL2	SLO11	2	35	58	9	13	15	224	Z (5)	3	2	sploščeno polkrožna/transverse broad elliptic	0	88	12	0	0	40	6	27	26	5,50	5,50	II/3
Ironman F1	NL0/1	SLO1	-	43	72	9	14	13	280	Z (7)	3	2	sploščeno polkrožna/transverse broad elliptic	0	55	45	0	0	0	0	9	91	5,31	5,31	II/3
Lord F1	NL0/3	SLO1	-	50	74	9	14	15	422	Z (5)	7	4	sploščena/transverse elliptic	0	92	8	0	0	0	8	8	85	5,01	5,01	II/3
Captain F1	NL0/1	SLO1	1	38	54	9	11	14	152	Z (7)	3	7	močno sploščena/transverse narrow elliptic	0	65	35	0	28	18	3	27	24	4,89	4,89	II/3
Liberty F1	NL0/4	SLO1	-	45	79	9	12	11	200	Z (5)	5	2	polkrožna/circular	0	44	56	0	0	0	0	7	93	3,61	3,61	III
Povprečje/Mean													7,59										7,77		
LSD (0,05)													3,27										3,02		

Sortni poskus/Variety trial
Jablje - pomlad/spring

Prejšnji posevek: inkarnatka

Gnojenje: 81 kg/ha N, 240 kg/ha K₂O; dognojevanje: 54 kg/ha N

Pridelovanje na prostem

Gostota sajenja: 70 cm x 40 cm; 35.700 rastlin/ha

Setev: 10.03.2005, presajanje: 29.04.2005, pobiranje: 16.06. - 26.07.2005

Zasnova poskusa: naključni blok v 3 ponovitvah, osnovna parcela 5,6 m²

Brokoli/Broccoli

Previous crop: incarnate

Fertilization: 81 kg/ha N, 240 kg/ha K₂O; side dressing: 54 kg/ha N

Growing in the open field

Planting density: 70 cm x 40 cm; 35,700 plants/ha

Sowing: 10.03.2005, transplanting: 29.04.2005, harvesting: 16.06. - 26.07.2005

Trial layout: randomized block design in 3 repetitions, plot size 5.6 m²

S O R T A V A R I E T Y	Izvor/Origin	Dobavitelj/Supplier	Zgodnost/Earliness 3=zgodna/early 7=pozna/late	Dozorevanje/Maturing 3=izenačeno/uniform 7=neizenačeno/uniform	RASTLINA/PLANT			ROŽA/CURD										PRIDELEK/YIELD									
					Višina/Height cm	Širina/Width cm	Prekrivanje rože /Curd covering 3=prekrita/covered 7=neprekrita/not covered	Višina/Height cm	Širina/Width cm	Masa/Weight g	Barva/Colour	Sklenjenost/Firmness 3=dobra/good 7=slaba/bad	Zrnatost/Texture 3=fina/fine 7=groba/coarse	Oblika/Shape	Razred/Class				Pobiranje/Harvest						Tržni/Marketable t/ha	Skupni/Total t/ha	Rodnostna skupina /Yield category
															%				%								
															Ekstra/Extra	I.	II.	Odpad/Waste	1.+2.	3.+4.	5.+6.	7.+8.	9.+10.				
Chevalier F1	NL0/3	SLO1	7	2	43	77	9	14	12	287	Z (3)	5	2	visoko polkrožna/high circular	0	86	14	0	0	0	32	53	16	8,82	8,84	II/1	
3051 F1	J1	SLO11	5	4	40	79	9	14	15	383	Z (3)	5	3	polkrožna/circular	0	92	8	0	0	41	36	19	4	8,35	8,38	II/1	
Montop F1	NL3	SLO13	4	5	40	77	9	13	12	267	Z (5)	5	3	polkrožna/circular	0	91	9	0	0	43	33	21	4	7,58	7,58	II/2	
Belstar F1	NL1	SLO12	9	-	43	70	9	13	12	319	Z (3)	1	2	visoko polkrožna/high circular	0	91	8	1	0	1	10	47	42	7,58	7,65	II/2	
Shogun F1	NL3	SLO13	8	4	54	82	9	17	13	296	Z (5)	7	4	polkrožna/circular	0	82	13	5	0	0	12	74	14	7,54	7,95	II/2	
Ironman F1	NL0/1	SLO1	7	-	44	69	9	15	13	335	Z (3)	3	3	polkrožna/circular	6	87	6	1	1	12	14	41	33	7,32	7,36	II/2	
Lucky F1	NL1	SLO12	5-6	3	45	76	9	14	13	315	Z (5)	3	2	visoko polkrožna/high circular	4	87	8	0	0	29	42	24	5	7,23	7,23	II/2	
Liberty F1	NL0/4	SLO1	5	4	45	88	9	13	13	306	Z (7)	3	3	polkrožna/circular	0	72	21	7	0	14	43	22	21	7,01	7,52	II/2	
Lord F1	NL0/3	SLO1	9	-	50	79	9	14	12	287	Z (3)	6	3	polkrožna/circular	0	80	18	2	0	0	0	34	66	6,81	6,96	II/2	
Herta F1	J1	SLO11	6	-	46	77	9	14	12	267	Z (3)	3	3	polkrožna/circular	0	88	11	1	0	9	43	27	21	6,68	6,76	II/2	
Kermit F1	NL1	SLO12	3	2	41	72	9	13	14	270	Z (7)	3	5	sploščeno polkrožna/transverse broad elliptic	0	84	12	4	4	68	13	11	4	6,57	6,83	II/2	
Captain F1	NL0/1	SLO1	1	5	43	65	-	13	15	214	Z (7)	4	7	močno sploščena/transverse narrow elliptic	0	90	9	1	38	47	8	7	0	6,40	6,46	II/2	
General F1	NL0/4	SLO1	2	7	33	54	9	12	12	179	Z (5)	4	5	sploščeno polkrožna/transverse broad elliptic	0	88	11	1	16	53	23	9	0	5,04	5,09	II/3	
Regilio F1	NL2	SLO11	4	7	37	62	9	12	12	193	Z (5)	4	2	polkrožna/circular	0	74	25	1	0	50	32	15	3	3,31	3,35	III	
Povprečje/Mean																							6,88	7,00			
LSD (0,05)																							1,97	1,83			

Sortni poskus/Variety trial

Križe - pomlad/spring

Prejšnji posevek: radič

Gnojenje: 20 t/ha hlevski gnoj, 60 kg/ha N, 60 kg/ha P₂O₅, 300 kg/ha K₂O

dognojevanje: 84 kg/ha N, 30 kg/ha P₂O₅, 30 kg/ha K₂O

Pridelovanje na prostem

Gostota sajenja: 50 cm x 50 cm; 40.000 rastlin/ha

Setev: 10.03.2005, presajanje: 23.04.2005, pobiranje: 17.06. - 15.07.2005

Zasnova poskusa: naključni blok v 3 ponovitvah, osnovna parcela 5,25 m²

Brokoli/Broccoli

Previous crop: chicory

Fertilization: 20 t/ha stable manure, 60 kg/ha N, 60 kg/ha P₂O₅, 300 kg/ha K₂O

side dressing: 84 kg/ha N, 30 kg/ha P₂O₅, 30 kg/ha K₂O

Growing in the open field

Planting density: 50 cm x 50 cm; 40,000 plants/ha

Sowing: 10.03.2005, transplanting: 23.04.2005, harvesting: 17.06. - 15.07.2005

Trial layout: randomized block design in 3 repetitions, plot size 5.25 m²

SORTA VARIETY	Izvor/Origin	Dobavitelj/Supplier	Zgodnost/Earliness 3= zgodna/early 7= pozna/late	Dozorevanje/Maturing 3= izenačeno/uniform 7= neizenačeno/uniform	RASTLINA/PLANT			ROŽA/CURD							PRIDELEK/YIELD											
					Višina/Height cm	Širina/Width cm	Prekrivanje rože /Curd covering 3= prekrita/covered 7= neprekrita/not covered	Višina/Height cm	Širina/Width cm	Masa/Weight g	Barva/Colour	Sklenjenost/Firmness 3= dobra/good 7= slaba/bad	Zrnatost/Texture 3= fina/fine 7= groba/coarse	Oblika/Shape	Razred/Class				Pobiranje/Harvest					Tržni/Marketable t/ha	Skupni/Total t/ha	Rodnostna skupina /Yield category
															I.	II.	Odpad/Waste	1.	2.	3.	4.	5.				
Shogun F1	NL3	SLO13	7	3	42	75	9	20	18	462	Z (7)	5	3	polkrožna/circular	0	93	7	0	0	0	0	64	36	15,09	15,09	I
Lord F1	NL0/3	SLO1	6	6	33	66	9	16	15	378	Z (7)	2	2	polkrožna/circular	0	98	2	0	0	0	8	38	55	13,78	13,78	I
Chevalier F1	NL0/3	SLO1	5	-	36	70	9	15	13	327	Z (7)	2	2	polkrožna/circular	0	99	1	0	0	0	21	41	37	13,58	13,58	I
Belstar F1	NL1	SLO12	9	7	32	60	9	15	14	425	Z (7)	2	3	visoko polkrožna/high circular	0	96	4	0	0	0	0	35	65	12,91	12,91	I
Ironman F1	NL0/1	SLO1	5	3	37	53	9	14	13	245	Z (3)	1	1	polkrožna/circular	1	94	5	0	0	1	21	60	18	11,13	11,13	II/1
Herta F1	J1	SLO11	4-5	1	44	66	9	17	16	350	Z (7)	4	4	sploščeno polkrožna/transverse broad elliptic	0	68	32	0	0	0	42	30	28	9,71	9,71	II/2
Liberty F1	NL0/4	SLO1	4-5	3	42	72	9	14	15	314	Z (7)	2	3	polkrožna/circular	3	85	13	0	0	0	31	64	5	9,66	9,66	II/2
Montop F1	NL3	SLO13	4	4	36	68	9	14	14	320	Z (3)	2	3	polkrožna/circular	78	4	17	1	0	17	61	13	10	8,46	8,54	II/2
Lucky F1	NL1	SLO12	5	-	33	63	9	14	14	236	Z (5)	3	2	polkrožna/circular	0	87	10	3	0	3	33	61	3	8,23	8,45	II/2
3051 F1	J1	SLO11	3	2	30	52	9	11	12	196	Z (5)	2	5	polkrožna/circular	0	94	6	1	0	28	59	1	12	7,70	7,76	II/3
Kermit F1	NL1	SLO12	3-4	5	34	54	9	14	14	240	Z (5)	2	7	sploščeno polkrožna/transverse broad elliptic	0	93	7	0	0	12	48	40	0	6,98	6,98	III
General F1	NL0/4	SLO1	2-3	1-2	31	48	9	14	14	204	Z (7)	5	7	sploščena/transverse elliptic	4	75	17	4	4	74	9	3	10	5,14	5,37	III
Regilio F1	NL2	SLO11	3-4	-	31	55	9	13	12	171	Z (5)	2	3	polkrožna/circular	6	52	31	12	0	37	38	12	14	3,68	4,17	III
Captain F1	NL0/1	SLO1	1	4	33	50	9	14	14	158	Z (7)	6	7	sploščena/transverse elliptic	0	69	31	0	0	0	33	23	44	2,03	2,03	III
Povprečje/Mean															9,15										9,23	
LSD (0,05)															2,15										2,10	

Sortni poskus/Variety trial
Nova Gorica - pomlad/spring

Brokoli/Broccoli

Gnojenje: 108 kg/ha N

Pridelovanje na prostem

Gostota sajenja: 70 cm x 40 cm; 35.700 rastlin/ha

Setev: 10.03.2005, presajanje: 15.04.2005, pobiranje: 17.06. - 18.07.2005

Zasnova poskusa: naključni blok v 3 ponovitvah, osnovna parcela 5,6 m²

Fertilization: 108 kg/ha N

Growing in the open field

Planting density: 70 cm x 40 cm; 35,700 plants/ha

Sowing: 10.03.2005, transplanting: 15.04.2005, harvesting: 17.06. - 18.07.2005

Trial layout: randomized block design in 3 repetitions, plot size 5.6 m²

S O R T A V A R I E T Y	Izvor/Origin	Dobavitelj/Supplier	Zgodnost/Earliness 3=zgodna/early 7=pozna/late	RASTLINA/PLANT			ROŽA/CURD							PRIDELEK/YIELD											
				Višina/Height cm	Širina/Width cm	Prekrivanje rože /Curd covering 3=prekrita/covered 7=neprekrita/not covered	Višina/Height cm	Širina/Width cm	Masa/Weight g	Barva/Colour	Sklenjenost/Firmness 3=dobra/good 7=slaba/bad	Zrnatost/Texture 3=fina/fine 7=groba/coarse	Oblika/Shape	Razred/Class				Pobiranje/Harvest					Tržni/Marketable t/ha	Skupni/Total t/ha	Rodnostna skupina /Yield category
														%				%							
														Ekstra/Extra	I.	II.	Odpad/Waste	1.	2.	3.	4.	5.			
Montop F1	NL3	SLO13	4	36	65	9	13	13	291	Z (3)	3	4	sploščeno polkrožna/transverse broad elliptic	0	83	17	0	1	7	2	25	64	12,12	12,12	I
Belstar F1	NL1	SLO12	-	46	77	9	14	14	366	Z (5)	3	3	polkrožna/circular	0	61	39	0	0	0	3	13	84	11,55	11,55	I
Chevalier F1	NL0/3	SLO1	-	47	79	-	15	15	434	Z (5)	5	3	sploščena/transverse elliptic	0	50	31	18	0	0	0	14	86	11,38	13,95	I
3051 F1	J1	SLO11	-	41	73	9	15	15	371	Z (3)	7	6	sploščeno polkrožna/transverse broad elliptic	0	48	52	0	0	0	0	29	71	9,10	9,10	II/2
Lucky F1	NL1	SLO12	4-5	44	72	9	14	13	336	Z (5)	2	4	sploščena/transverse	7	89	4	0	0	7	3	34	56	8,54	8,54	II/2
Kermi F1	NL1	SLO12	5	39	64	9	13	13	260	Z (7)	2	5	sploščeno polkrožna/transverse broad elliptic	0	74	25	1	0	11	12	41	36	8,44	8,50	II/2
Shogun F1	NL3	SLO13	-	59	91	9	19	17	400	Z (5)	7	5	sploščeno polkrožna/transverse broad elliptic	0	73	27	0	0	0	0	15	85	7,98	7,98	II/2
Herta F1	J1	SLO11	4	44	75	9	13	12	266	Z (7)	2	3	sploščeno polkrožna/transverse broad elliptic	0	91	9	0	1	13	13	36	36	7,12	7,12	II/2
General F1	NL0/4	SLO1	3	35	52	9	14	14	227	Z (5)	5	5	sploščeno polkrožna/transverse broad elliptic	0	70	30	0	0	45	14	18	24	5,67	5,67	II/3
Regilio F1	NL2	SLO11	2	35	58	9	13	15	224	Z (5)	3	2	sploščeno polkrožna/transverse broad elliptic	0	88	12	0	0	40	6	27	26	5,50	5,50	II/3
Ironman F1	NL0/1	SLO1	-	43	72	9	14	13	280	Z (7)	3	2	sploščeno polkrožna/transverse broad elliptic	0	55	45	0	0	0	0	9	91	5,31	5,31	II/3
Lord F1	NL0/3	SLO1	-	50	74	9	14	15	422	Z (5)	7	4	sploščena/transverse elliptic	0	92	8	0	0	0	8	8	85	5,01	5,01	II/3
Captain F1	NL0/1	SLO1	1	38	54	9	11	14	152	Z (7)	3	7	močno sploščena/transverse narrow elliptic	0	65	35	0	28	18	3	27	24	4,89	4,89	II/3
Liberty F1	NL0/4	SLO1	-	45	79	9	12	11	200	Z (5)	5	2	polkrožna/circular	0	44	56	0	0	0	0	7	93	3,61	3,61	III
Povprečje/Mean													7,59										7,77		
LSD (0,05)													3,27										3,02		