

Lokacija/location: Rakičan				Ozimna pšenica – Sortni poskus B – srednje zgodnje sorte						 Kmetijski inštitut Slovenije Agricultural Institute of Slovenia							
Leto/year: 2025				Winter wheat – Variety trial B – middle early varieties													
Prejšnji posevek:		Oljna buča								Previous crop:		Oil pumpkin					
Gnojenje:		153kg/ha N (v 3 obrokih), 36 kg/ha P2O5, 72 kg/ha K2O								Fertilization:		153 kg/ha N (in rations), 36 kg /ha P2O5, 72 kg /ha K2O,					
Škropljenje:		Bizon 1l/ha, Ascra Xpro 1,5l/ha								Spraying:		Bizon 1l/ha, Ascra Xpro 1,5l/ha					
Gostota setve:		medvrstna razdalja 12,5 cm, 400-750 kalivih zrn/m2								Plant density:		interrow spacing 12.5 cm, 400-750 germinative seeds/m2					
		Setev: 22.10.2024, vznik: 30.10.2024, žetev: 3.07.2025										22.10.2024, emergence: 30.10.2024, harvesting: 3.7.2025					
Zasnova poskusa:		naključni blok v 4 ponovitvah, osnovna parcela 7,5 m2								Trial layout:		randomized block design in 4 repetitions, plot size 7,5 m2					
SORTA/VARIETY		RASTLINA/ PLANT		ANALIZA/ANALYSIS						PRIDELEK/YIELD			BOLEZEN/DISEASE				
Sorta Variety	Datum klasitve Date of earing	Višina Height	Poleg po klasitvi Lodging from ear forming on	Hektolitrska masa Test weight	Absolutna masa zrnja Thousand seeds weight	Surove beljakovine Crude protein	Sedimentacijska vrednost Sedimentation value	Število padanja Falling number	Kakovostni razred Quality class	Vlaga zrnja Grain moisture	Zrnje s 14% vlago Grain with 14% moisture	Rodnostna skupina Yield category	Erysiphe graminis	Septoria nodorum	Septoria tritici	Puccinia graminis	Fusarium spp.
		cm	1-9 1=brez/with out	kg	g	%	ml	s		%	t/ha		1-9 1=brez/withou t	1-9 1=brez/withou t	1-9 1=brez/withou t	1-9 1=brez/withou t	1-9 1=brez/withou t
CAMPESINO	12.5.	99	1	76	43	10,2	16	305	*	9,2	10,94	I	1	2	3	1	1
MONVISO	6.5.	97	1	79	44	12,1	32	330	B2	9,6	10,77	I	3	1	4	1	1
EXALTATION	7.5.	86	1	78	43	12,0	31	322	B2	8,8	10,72	I	2	2	3	1	1
MV NADOR	4.5.	88	1	76	49	13,1	38	382	B1	8,3	10,54	I	1	3	4	1	1
MV MENROT	12.5.	102	1	77	49	13,0	39	386	B1	9,2	10,08	II/2	1	2	3	1	1
MV NEMERE	3.5.	93	1	77	50	13,1	38	433	B1	8,1	10,04	II/2	2	3	3	1	1
SOSTHENE	11.5.	82	1	76	42	11,7	31	368	B2	8,6	10,04	II/2	4	2	3	1	1
LID MACUMBA	4.5.	93	1	79	48	12,6	34	322	B1	9,1	10,03	II/2	1	2	3	1	1
ANVERSA	6.5.	89	4	76	44	13,0	39	363	B2	8,7	9,97	II/2	1	2	3	1	1
NEXERA 88	18.5.	96	2	74	44	12,2	30	344	*	9,5	9,89	II/2	3	2	4	1	3
NEXERA 3155	7.5.	93	1	79	44	12,4	33	368	B2	9,9	9,84	II/2	3	2	4	1	1
NEXERA 86	11.5.	86	1	75	41	11,1	28	380	*	8,0	9,70	II/2	3	3	4	2	2
SONATE	3.5.	86	1	78	50	12,6	33	335	B1	9,4	9,62	II/2	4	3	3	1	1
NEXERA 885	11.5.	102	1	76	47	13,2	37	298	B2	8,3	9,59	II/2	3	2	4	1	2
VULKAN	4.5.	104	2	81	37	14,4	44	301	A	10,0	9,57	II/2	2	3	4	1	2
PINOKIO	4.5.	91	1	78	43	12,7	34	359	B1	8,7	9,48	II/2	2	3	4	1	1
IRUN	11.5.	91	3	77	44	12,1	32	366	B2	9,7	9,48	II/2	1	2	2	1	1
LID SARABAND	11.5.	100	1	75	46	12,4	34	323	B2	8,7	9,44	II/3	1	2	3	1	1
BALISTIC	6.5.	80	1	77	46	12,9	38	377	B1	8,5	8,87	III	1	2	2	1	1
LID FORLANE	5.5.	92	2	80	39	14,7	46	382	A	10,3	8,31	III	2	2	3	1	1
LID GATINEL	7.5.	92	1	80	48	14,3	46	337	A	9,5	8,28	III	3	2	3	1	1
Povprečje/mean											9,77						
LSD (0,05)											0,63						

* izven kakovostnega razreda/out of quality class