

**Sortni poskus/Variety trial**  
**Jablje**

**Ozimna rž/Winter rye**

Prejšnji posevek: inkarnatka  
Gnojenje: 152 kg/ha N (v 3 obrokih), 92 kg/ha P<sub>2</sub>O<sub>5</sub>, 138 kg/ha K<sub>2</sub>O  
Škropljenje: Hussar 0,1 l/ha, Karate zeon 0 l/ha, Seguris xtra 1 l/ha  
Gostota setve: medvrstna razdalja 12,5 cm, 230-550 kalivih zrn/m<sup>2</sup>  
Setev: 24.10.2015, vznik: 9.11.2015, žetev: 20.07.2016  
Zasnova poskusa: naključni blok v 4 ponovitvah, osnovna parcela 7,5 m<sup>2</sup>

Previous crop: crimson clover  
Fertilization: 152 kg/ha N (in 3 rations), 92 kg/ha P<sub>2</sub>O<sub>5</sub>, 138 kg/ha K<sub>2</sub>O  
Spraying: Hussar 0,1 l/ha, Karate zeon 0 l/ha, Seguris xtra 1 l/ha,  
Sowing density: interrow spacing 12.5 cm, 230-550 germinative seeds/m<sup>2</sup>  
Sowing: 24.10.2015 emergence: 9.11.2015, harvesting: 20.07.2016  
Trial layout: randomized block design in 4 repetitions, plot size 7.5 m<sup>2</sup>

SORTA VARIETY	Datum klasitve Date of earing	RASTLINA/PLANT		ANALIZA/ANALYSIS				PRIDELEK/YIELD			BOLEZEN/DISIASE				
		Višina Height	Poleg po klasitvi Lodging from ear forming on	Hektolitrska masa Test weight	Absolutna masa zrnja Thousand seeds weight	Surove beljakovine Crude protein	Število padanja Falling number	Vlaga zrnja Grain moisture	Zrnje s 14% vlago Grain with 14% moisture	Rodnostna skupina Yield category	<i>Erysiphe graminis</i>	<i>Puccinia graminis</i>	<i>Puccinia recondita</i>	<i>Rhynchosporium secalis</i>	<i>Fusarium sp.</i>
		cm	1-9 1=brez/without	kg	g	%	s	%	t/ha		1-9 1=brez/without	1-9 1=brez/without	1-9 1=brez/without	1-9 1=brez/without	1-9 1=brez/without
Bono	10. 5.	133	1	77	32	9,1	332	14,6	10,90	II/1	1	1	1	1	1
Brosetto	9. 5.	136	1	76	38	9,5	277	15,8	9,80	II/2	1	1	1	1	1
Elego	8. 5.	161	1	76	40	10,4	306	13,7	9,01	II/2	1	1	2	1	1
Dankowsky Diamant	9. 5.	146	1	77	35	10,0	329	13,8	8,89	II/2	1	2	1	1	1
Dankowsky Amber	9. 5.	153	1	76	37	10,3	330	14,0	8,20	II/3	1	1	1	1	1
<b>Povprečje/Mean</b>									9,36						
<b>LSD (0,05)</b>									1,55						