

Sortni poskus/Variety trial
Jablje

Prejšnji posevek: inkarnatka
Gnojenje: 152 kg/ha N (v 3 obrokih), 92 kg/ha P₂O₅, 138 kg/ha K₂O
Škropljenje: Hussar 0,1 l/ha, Karate zeon 0 l/ha, Seguris xtra 1 l/ha
Gostota setve: medvrstna razdalja 12,5 cm, 230-550 kalivih zrn/m²
Setev: 24.10.2015, vznik: 9.11.2015, žetev: 20.07.2016
Zasnova poskusa: naključni blok v 4 ponovitvah, osnovna parcela 7,5 m²

Ozimna tritikala/Winter triticale

Previous crop: crimson clover
Fertilization: 152 kg/ha N (in 3 rations), 92 kg /ha P₂O₅, 138 kg /ha K₂O
Spraying: Hussar 0,1 l/ha, Karate zeon 0 l/ha, Seguris xtra 1 l/ha,
Sowing density: interrow spacing 12.5 cm, 230-550 germinative seeds/m²
Sowing: 24.10.2015 emergence: 9.11.2015, harvesting: 20.07.2016
Trial layout: randomized block design in 4 repetitions, plot size 7.5 m²

SORTA VARIETY	Datum klasitve Date of earing	RASTLINA/PLANT		ANALIZA/ANALYSIS			PRIDELEK/YIELD			BOLEZEN/DISIASE				
		Višina Height	Poleg po klasitvi Lodging from ear forming on	Hektolitrska masa Test weight	Absolutna masa zrnja Thousand seeds weight	Surove beljakovine Crude protein	Vlaga zrnja Grain moisture	Zrnje s 14% vlago Grain with 14% moisture	Rodnostna skupina Yield category	<i>Erysiphe graminis</i>	<i>Puccinia graminis</i>	<i>Puccinia recondita</i>	<i>Rhynchosporium secalis</i>	<i>Fusarium sp.</i>
		cm	1-9 1=brez/without	kg	g	%	%	t/ha		1-9 1=brez/without	1-9 1=brez/without	1-9 1=brez/without	1-9 1=brez/without	1-9 1=brez/without
Cosinus	12. 5.	115	1	72	42	10,2	13,4	9,55	I	1	1	2	1	1
Agostino	17. 5.	101	1	75	39	10,5	13,2	9,29	I	1	2	2	1	1
Ragtac	16. 5.	104	1	70	38	10,4	14,1	8,64	II/1	1	2	1	1	1
SW Talentro	16. 5.	104	1	74	45	10,7	13,0	7,99	II/2	1	1	2	1	1
Bc Goran	17. 5.	108	1	73	43	10,5	13,5	7,39	III	1	2	1	1	1
Grenado	24. 5.	98	1	69	29	10,4	13,3	6,27	III	1	1	1	1	1
Povprečje/Mean								8,19						
LSD (0,05)								0,60						